


Spectrum Analyzer Data
2-6 (7/9/2024 4:08:48 PM)

Spectrum Analyzer




Dallas

(These spectrum analyzer shots will be updated as RF conditions warrant. Please re-visit to be certain you have current information.)

Spectrum Analyzer Data
7-13 (7/9/2024 4:10:16 PM)

Spectrum Analyzer




Dallas

(These spectrum analyzer shots will be updated as RF conditions warrant. Please re-visit to be certain you have current information.)

Spectrum Analyzer Data

14-23 (7/9/2024 4:11:45 PM)

Spectrum Analyzer




Dallas

(These spectrum analyzer shots will be updated as RF conditions warrant. Please re-visit to be certain you have current information.)

Spectrum Analyzer Data

24-33 (7/9/2024 4:13:19 PM)

Spectrum Analyzer




Dallas

(These spectrum analyzer shots will be updated as RF conditions warrant. Please re-visit to be certain you have current information.)

Spectrum Analyzer Data

34-43 (7/9/2024 4:14:42 PM)

Spectrum Analyzer




Dallas

* 20mw EIRP limit. Permitted use 614-616

Spectrum Analyzer Data

44-53 (7/9/2024 4:15:55 PM)

Spectrum Analyzer




Dallas

* 20mw EIRP limit. Permitted use 653-657 licensed, 657-663 unlicensed


Spectrum Analyzer Data cell (7/9/2024 4:17:21 PM)

Spectrum Analyzer




Dallas 699-798 cellular spectrum


(These spectrum analyzer shots will be updated as RF conditions warrant. Please re-visit to be certain you have current information.)




1




2




3




4



5



6



7